

# Latest VAERS Data Show 1.6 Million Adverse Events Following COVID-19 Vaccination



The latest VAERS data released in March show [1,630,913](#) adverse events following COVID-19 vaccines were reported between Dec. 14, 2020, and Feb. 23, 2024, including [312,237](#) reports of serious injuries and [37,231](#) deaths.

VAERS is a voluntary reporting system co-managed by the U.S. Food and Drug Administration and CDC designed to detect vaccine safety signals, but it is [estimated](#) to represent only 1% of actual adverse events—and is largely ignored by government agencies pretending the clot shots are safe.

Of the 37,231 reported deaths, [23,221 cases](#) are attributed to Pfizer, [10,773](#) to Moderna, and [2,852](#) to Johnson & Johnson. Of the [reported deaths](#), 8% occurred within 24 hours of vaccination, and 12% occurred within 48 hours.

## Data for 6-month-olds to 5-year-olds

- [7,537 adverse events](#), including [315 cases rated as serious](#) and [14 reported deaths](#).
- [5 reports](#) of myocarditis and pericarditis.
- [37 reports](#) of blood clotting disorders, which means the CDC throttled at least 12 reports of blood clotting over the previous week.
- [67 reports](#) of seizures.

## Data for 5- to 11-year-olds

- [18,590 adverse events](#), including [901 rated as serious](#) and [33 reported deaths](#).
- [54 reports](#) of myocarditis and pericarditis.
- [80 reports](#) of blood clotting disorders.
- [207 reports](#) of seizures.

## Data for 12- to 17-year-olds

- [43,391 adverse events](#), including [4,829 rated as serious](#) and [147 reported deaths](#).
- [285 reports](#) of anaphylaxis among 12- to 17-year-olds where the reaction was life-threatening, required treatment, or resulted in death.
- [1,405 reports](#) of myocarditis and pericarditis, with [1,229 cases](#) attributed to Pfizer's vaccine.
- [321 reports](#) of blood clotting disorders, with [291 cases](#) attributed to Pfizer.
- [55 cases](#) of postural orthostatic tachycardia syndrome (POTS), with [53 cases](#) attributed to Pfizer's vaccine.

## Data for all age groups to VAERS

- 16% of deaths were related to cardiac disorders.
- 53% of those who [died were male](#), and 41% [were female](#). The remaining death reports do not list the gender of the deceased.
- The [average age](#) of death was 72.
- As of Feb. 23, [9,357 pregnant women](#) reported adverse events related to COVID-19 vaccines, including [5,433 reports](#) of miscarriage or premature birth.
- Of the [18,007 cases of Bell's palsy](#) have been reported.
- [3,549 reports](#) of Guillain-Barré syndrome.
- [10,713 reports](#) of anaphylaxis where the reaction was life-threatening, required treatment, or resulted in death.
- [9,068 reports](#) of myocardial infarction and cardiac arrest.
- [49,713 reports](#) of blood clotting disorders. Of those, [34,372 reports](#) were attributed to Pfizer, and [11,299 reports](#) were attributed to Moderna.
- [26,873 cases](#) of myocarditis and pericarditis, with [20,484 cases](#) attributed to Pfizer and [5,850 cases](#) to Moderna.

The CDC uses a [narrowed case definition](#) of myocarditis. To meet the case definition of myocarditis, people must have had “symptoms such as chest pain, shortness of breath and feelings of having a fast-beating, fluttering or pounding heart, and medical tests to support the diagnosis of myocarditis and rule out other causes.” This allows the CDC to exclude cases of cardiac arrest, ischemic strokes, and deaths due to heart problems that occur before one has the chance to go to the hospital, obtain a diagnosis, or “dies suddenly.”

The CDC website does not state what happens to these cases, but there is no indication they are tracked or

included in the CDC's myocarditis numbers.

- [89 cases](#) of Creutzfeldt-Jakob disease, with [74 cases](#) attributed to Pfizer, [15](#) to Moderna, and [2](#) to J&J.
- [1,034 cases of POTS](#), with [682 cases](#) attributed to Pfizer.

Although healthcare providers are required by law to report vaccine adverse events to VAERS, research shows very few do. It is essential that anyone who experiences an adverse event [report their own injury](#).